

M.G. PURE KRAFT PAPER FOR MASKING

Code: GL / GV

Typical Quality Values (50% RH 23°C)

	UNIT	NORM	VALUES
Basis Weight	g/m ²	ISO-536	40
Moisture Content	%	ISO-287	5.5
Tensile Index MD	kN.m/kg	ISO-1924	95
Tensile Index CD	kN.m/kg	ISO-1924	35
Bursting Strength	kPa	ISO-2758	140
Bursting Index	(kPa.m ²)/g	ISO-2758	3.5
Cobb-60	g/m ²	ISO-535	25
Air Resistance Gurley	s/ 100 c.c.	ISO-5636	135

Automatic control of dry weight moisture and grammage by computer.

Tolerances:

Grammage: +/- 4%

Moisture: +/- 2.0